Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.03.2016

*

*

Version: 5

Revision: 22.03.2016

SECTION 1: Identification of the	e substance/mixture and of the company/undertaking
· 1.1 Product identifier	
• Trade name: SILI-FREE	
Article number: 06540001 1.2 Relevant identified uses of the substa Sector of Use	ance or mixture and uses advised against
SU3 Industrial uses: Uses of substances SU22 Professional uses: Public domain • Product category PC24 Lubricants, gre • Process category PROC7 Industrial spraying PROC10 Roller application or brushing PROC11 Non industrial spraying • Environmental release category	3
ERC8a Wide dispersive indoor use of p ERC8d Wide dispersive outdoor use of p	
· Application of the substance / the mixtu	re Surface protection
 1.3 Details of the supplier of the safety a Manufacturer/Supplier: ZEP UK Ltd PO Box 12 Tanhouse Lane Widnes Cheshire, WA8 0RR United Kingdom Phone: +44 (0)151 422 1000 FAX: +44 (0)151 422 1011 @: info@zep.co.uk web: www.zep.co.uk 	lata sheet
ZEP Industries BV Vierlinghweg 30 4612 PN Bergen op Zoom The Netherlands Tel: (NL) + 31 164 250 100 (B) + 32 2 3 Fax:(NL) + 31 164 266 710 (B) + 32 2 3 @: sales@zepbenelux.com	
ZEP ITALIA SRL Via Netunese Km. 25.000 04011 Aprilia (LT) - Italy Tel: +39.06.926691 Fax: +39.06.92747061 @: tecnico@zepeurope.com Sito: www.zep.it	
 Further information obtainable from: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 16 B: Tel: +32 2 347 0117 Fax: +32 2 347 IT: Tel: +39 069 266 91Fax: +39 06.927 UK: Tel: +44 151 422 1000 Fax: +44 15 I.4 Emergency telephone number: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 16 B: Tel: +32 2 347 0117 Fax: +32 2 347 IT: Tel: +39 069 266 91Fax: +39 06.927 UK: Tel: +44 151 422 1000 Fax: +44 15 	1395 7 470 61 51 422 1011 4 266 710 1395 7 470 61
SECTION 2: Hazards identificat	ion
· 2.1 Classification of the substance or mi	
 • Classification according to Regulation (• 2.2 Label elements • Labelling according to Regulation (EC) • Hazard pictograms Void • Signal word Void • Hazard statements Void 	

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.03.2016

Version: 5

Revision: 22.03.2016

Trade name: SILI-FREE

• Additional information:

Contains 5-chloro-2-methyl-2H-isothiazol-3-one. May produce an allergic reaction.

Safety data sheet available on request.

• 2.3 Other hazards The product does not contain any organic halogen compounds (AOX), nitrates, heavy metal compounds.

· Results of PBT and vPvB assessment

· PBT: Not applicable.

· **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous components:			
CAS: 107-41-5	2-methylpentane-2,4-diol	𝚯 Skin Irrit. 2, H315; Eye Irrit. 2, H319	5-10%
EINECS: 203-489-0		•	
Reg.nr.: 01-211-9539582-35			

• Ingredients according to Detergents Regulation 648/2004/EC For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

• 4.1 Description of first aid measures

- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- After skin contact: Generally the product does not irritate the skin.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- 4.3 Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

· 5.1 Extinguishing media

• Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- · 5.3 Advice for firefighters
- · Protective equipment: No special measures required.

SECTION 6: Accidental release measures

- · 6.1 Personal precautions, protective equipment and emergency procedures Not required.
- · 6.2 Environmental precautions: No special measures required.
- \cdot 6.3 Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, universal binders).
- · 6.4 Reference to other sections
- No dangerous substances are released.
- See Section 7 for information on safe handling.
- See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

- · 7.1 Precautions for safe handling No special measures required.
- · Information about fire and explosion protection: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.

(Contd. on page 3)

(Contd. of page 1)

Safety data sheet according to 1907/2006/EC, Article 31 Version: 5

Printing date 22.03.2016

Trade name: SILI-FREE

• 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection • Additional information about design of technical facilities: No further data; see item 7.

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

56-81-5 glycerol (10-25%)

WEL (Great Britain) Long-term value: 10 mg/m³

107-41-5 2-methylpentane-2,4-diol (5-10%)

WEL (Great Britain) Short-term value: 123 mg/m³, 25 ppm Long-term value: 123 mg/m³, 25 ppm

· DNELs

107-41-5 2	-methylpentane-2,4-diol	
Oral	DNEL Long term-systemic	1 mg/kg human/day (consumer)
Dermal	DNEL Long term-systemic	1 mg/kg human/day (consumer)
		2 mg/kg human/day (worker)
Inhalative	DNEL Long term-systemic mg/m3	3.5 mg/m3 (consumer)
		14 mg/m3 (worker)
	DNEL Acute-systemic mg/m3	49 mg/m3 (consumer)
		98 mg/m3 (worker)
· PNECs		

107-41-5 2-methylpentane-2,4-diol

107 11 c 2 methylpennane 2,1 alor	
	0.429 mg/L (-)
PNEC Marinewater mg/L	0.0429 mg/L (-)
PNEC Sewage treatment Plant mg/L	20 mg/L (-)

• Additional information: The lists valid during the making were used as basis.

· 8.2 Exposure controls

· Personal protective equipment:

- General protective and hygienic measures: The usual precautionary measures are to be adhered to when handling chemicals.

· Respiratory protection: Not required.

· Protection of hands:

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed. • Eye protection: Goggles recommended during refilling

SECTION 9: Physical and chemical properties

• 9.1 Information on basic physical a	nd chemical properties	
· General Information		
· Appearance:		
Form:	Fluid	
Colour:	Colourless	
· Odour:	Characteristic	
· Odour threshold:	Not determined.	
· pH-value at 20 °C:	7.5	
· Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	104 °C	
· Flash point:	Not applicable.	
· Flammability (solid, gaseous):	Not applicable.	
		(Contd. on page

(Contd. o

Revision: 22.03.2016

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 22.03.2016

Version: 5

Revision: 22.03.2016

Trade name: SILI-FREE

	(Cor	ttd. of page 3)
· Ignition temperature:	260 °C	
· Decomposition temperature:	Not determined.	
· Self-igniting:	Product is not selfigniting.	
· Danger of explosion:	Product does not present an explosion hazard.	
· Explosion limits:		
Lower:	0.9 Vol %	
Upper:	0.0 Vol %	
· Vapour pressure at 20 •C:	23 hPa	
· Density at 20 •C:	1.05 g/cm ³	
· Relative density	Not determined.	
· Vapour density	Not determined.	
· Evaporation rate	Not determined.	
· Solubility in / Miscibility with		
water:	Fully miscible.	
· Partition coefficient (n-octanol/wa	Partition coefficient (n-octanol/water): Not determined.	
· Viscosity:		
Dynamic:	Not determined.	
Kinematic at 20 •C:	25 s (DIN 53211/4)	
· Solvent content:		
Organic solvents:	20.0 %	
• 9.2 Other information	No further relevant information available.	

SECTION 10: Stability and reactivity

· 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

· Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

· 10.3 Possibility of hazardous reactions No dangerous reactions known.

· 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

• 10.6 Hazardous decomposition products: No dangerous decomposition products known.

SECTION 11: Toxicological information

· 11.1 Information on toxicological effects

· Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

107-41-3	107-41-5 2-methylpentane-2,4-diol	
Oral	LD50	>3500 mg/kg (Rat)
Dermal	LD50	>5000 mg/kg (Rabbit)
	LC50 / 96 h	9450 mg/ltr (Oncorhynchus mykiss (Rainbow trout))
		8690 mg/ltr (Pimephales promelas)
	EC 50 / 48 h	5410 mg/ltr (Daphnia magna (water flea))

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

• Serious eye damage/irritation Based on available data, the classification criteria are not met.

• **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

· Germ cell mutagenicity Based on available data, the classification criteria are not met.

• Carcinogenicity Based on available data, the classification criteria are not met.

 $\cdot \textit{Reproductive toxicity Based on available data, the classification criteria are not met.}$

• STOT-single exposure Based on available data, the classification criteria are not met.

· STOT-repeated exposure Based on available data, the classification criteria are not met.

(Contd. on page 5)

GB –

Safety data sheet according to 1907/2006/EC, Article 31 Version: 5

Printing date 22.03.2016

Revision: 22.03.2016

Trade name: SILI-FREE

• Aspiration hazard Based on available data, the classification criteria are not met.

(Contd. of page 4)

SECTION 12: Ecological information

· 12.1 Toxicity

- · Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: The product is biodegradable.
- · 12.3 Bioaccumulative potential No further relevant information available.
- · 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

In accordance with the requirements of the RVO in the Act on Detergents and Cleansing Agents, tensides are biodegradable up to at least 90 %.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation Smaller quantities can be disposed of with household waste.

· European waste catalogue

15 00 00 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

15 01 00 packaging (including separately collected municipal packaging waste)

15 01 02 plastic packaging

· Uncleaned packaging:

• *Recommendation: Disposal must be made according to official regulations.*

SECTION 14: Transport information

· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
· 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA	Void
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG, IATA · Class	Void
· 14.4 Packing group · ADR, IMDG, IATA	Void
· 14.5 Environmental hazards: · Marine pollutant:	No
· 14.6 Special precautions for user	Not applicable.
· 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code	1 Not applicable.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

• 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Reg. (EC) n. 1272/2008 - CLP; Reg. (EC) n. 1907/2006 – Reach; Reg. (EC) n. 2015/830 annex II of REACH;

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31 Version: 5

Printing date 22.03.2016

Trade name: SILI-FREE

Reg. (EC) n. 648/04 (Detergents); Reg. (EC) n. 528/12 (Biocides BPR); Reg. (EC) n. 1223/2009 (Cosmetics); Dir. 06/08 ADR – RID - IMDG - IATA; Dir. 47/08 (Aerosols); Dir. 12/18 (Seveso III); Dir. 2008/98/CE and Reg. (EC) n.1357/2014 (Waste management)

· Directive 2012/18/EU

· Named dangerous substances - ANNEX I None of the ingredients is listed.

· National regulations:

· Technical instructions (air):

Class	Share in %
NK	10-25

 $\cdot \textit{Waterhazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.}$

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

*

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H315 Causes skin irritation. H319 Causes serious eye irritation.

· Department issuing SDS:

Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 • Contact: Customer Service NL: Tel: + 31 164 250 100 Fax: + 31 164 266 710 B: Tel: +32 2 347 0117 Fax: +32 2 347 1395 IT: Tel: +39 069 266 91Fax: +39 06.927 470 61 UK: Tel: +44 151 422 1000 Fax: +44 151 422 1011 • Abbreviations and acromyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

- IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances
- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- DNEL: Derived No-Effect Level (REACH)

PNEC: Predicted No-Effect Concentration (REACH)

- LC50: Lethal concentration, 50 percent
- LD50: Lethal dose, 50 percent
- PBT: Persistent, Bioaccumulative and Toxic
- vPvB: very Persistent and very Bioaccumulative
- Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
- Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2
- \cdot * Data compared to the previous version altered.

GB -

(Contd. of page 5)